

The free group in R: introducing the freegroup package

Robin K. S. Hankin
University of Stirling


Abstract

Here I present the `freegroup` package for working with the free group on a finite set of symbols. The package is vectorised; internally it uses an efficient matrix-based representation for free group objects but uses a configurable print method. A range of R-centric functionality is provided. It is available on CRAN at <https://CRAN.R-project.org/package=freegroup>. To cite the `freegroup` package, use Hankin (2022).

Keywords: Free group, Tietze form.

1. Introduction

The free group is an interesting and instructive mathematical object with a rich structure that illustrates many concepts of elementary group theory. The `freegroup` package provides some functionality for manipulating the free group on a finite list of symbols. Informally, the *free group* (X, \circ) on a set $S = \{a, b, c, \dots, z\}$ is the set X of *words* that are objects like $W = c^{-4}bb^2aa^{-1}ca$, with a group operation of string juxtaposition. Usually one works only with words that are in “reduced form”, which has successive powers of the same symbol combined, so W would be equal to $c^{-4}b^3ca$; see how b appears to the third power and the a term in the middle has vanished. The group operation of juxtaposition is formally indicated by \circ , but this is often omitted in algebraic notation; thus, for example $a^2b^{-3}c^2 \circ c^{-2}ba = a^2b^{-3}c^2c^{-2}ba = a^2b^{-2}ba$.



1.1. Formal definition

If X is a set, then a group F is called *the free group on X* if there is a set map $\Psi: X \rightarrow F$, and for any group G and set map $\Phi: X \rightarrow G$, there is a unique homomorphism $\alpha: F \rightarrow G$ such that $\alpha \circ \Psi = \Phi$, that is, the diagram below commutes:

$$\begin{array}{ccc} X & \xrightarrow{\Psi} & F \\ & \searrow \Phi & \downarrow \alpha \\ & & G \end{array}$$

It can be shown that F is unique up to group isomorphism; every group is a quotient of a free group.

1.2. Existing work

Computational support for working with the free group is provided as part of a number of algebra systems including [GAP](#), [Sage](#) ([The Sage Developers 2019](#)), and [sympy](#) ([Meurer *et al.* 2017](#)) although in those systems the emphasis is on finitely presented groups, not in scope for the **freegroup** package. There are also a number of closed-source proprietary systems which are of no value here.

2. The package in use

In the **freegroup** package, a word is represented by a two-row integer matrix; the top row is the integer representation of the symbol and the second row is the corresponding power. For example, to represent $a^2b^{-3}ac^2a^{-2}$ we would identify a as 1, b as 2, etc and write

```
> (M <- rbind(c(1,2,3,3,1),c(2,-3,2,3,-2)))
```

```
      [,1] [,2] [,3] [,4] [,5]
[1,]    1    2    3    3    1
[2,]    2   -3    2    3   -2
```

(see how negative entries in the second row correspond to negative powers). Then to convert to a more useful form we would have

```
> library("freegroup")
> (x <- free(M))
```

```
[1] a^2.b^-3.c^5.a^-2
```

The representation for R object x is still a two-row matrix, but the print method is active and uses a more visually appealing scheme. The default alphabet used is `letters`. We can coerce strings to free objects:

```
> (y <- as.free("aabbccccc"))
```

```
[1] a^2.b^3.c^4
```

The free group operation is simply juxtaposition, represented here by the plus symbol:

```
> x+y
```

```
[1] a^2.b^-3.c^5.b^3.c^4
```

(see how the a “cancels out” in the juxtaposition). One motivation for the use of “+” rather than “*” is that Python uses “+” for appending strings:

```
>>> "a" + "abc"
'aabc'
>>>
```

However, note that the “+” symbol is usually reserved for commutative and associative operations; string juxtaposition is associative. Multiplication by integers—denoted in **freegroup** idiom by “*”—is also defined. Suppose we want to concatenate 5 copies of x :

```
> x*5

[1] a^2.b^-3.c^5.b^-3.c^5.b^-3.c^5.b^-3.c^5.b^-3.c^5.a^-2
```

The package is vectorized:

```
> x*(0:3)

[1] 0 a^2.b^-3.c^5.a^-2
[3] a^2.b^-3.c^5.b^-3.c^5.a^-2 a^2.b^-3.c^5.b^-3.c^5.b^-3.c^5.a^-2
```

There are a few methods for creating free objects, for example:

```
> abc(1:9)

[1] a a.b a.b.c a.b.c.d
[5] a.b.c.d.e a.b.c.d.e.f a.b.c.d.e.f.g a.b.c.d.e.f.g.h
[9] a.b.c.d.e.f.g.h.i
```

And we can also generate random free objects:

```
> rfree(10,4)

[1] b^-4.a d^3.b^4.d^6 a^-2.c^7 b^-2.d^-1
[5] a^3.b^-2.d b^-3.d^2 c^-3 c^-1.d^-2
[9] d^-4.a^-1.d^4.b b.c^-1
```

Inverses are calculated using unary or binary minus:

```
> (u <- rfree(10,4))

[1] a^-2.c^-7 c^3.b^3.d^4.c^4 a^2 a^-3.d^-1
[5] a^3.d^-3 d^-1.b^-2.c^4 a^2.b^3.a^2 b^2.d^-3.a^3.c^-1
[9] b.a^5.c^-4 c.b^2.c

> -u
```

```
[1] c^7.a^2          c^-4.d^-4.b^-3.c^-3 a^-2
[4] d.a^3           d^3.a^-3           c^-4.b^2.d
[7] a^-2.b^-3.a^-2  c.a^-3.d^3.b^-2   c^4.a^-5.b^-1
[10] c^-1.b^-2.c^-1
```

```
> u-u
```

```
[1] 0 0 0 0 0 0 0 0 0 0
```

We can take the “sum” of a vector of free objects simply by juxtaposing the elements:

```
> sum(u)
```

```
[1] a^-2.c^-4.b^3.d^4.c^4.a^-1.d^-1.a^3.d^-4.b^-2.c^4.a^2.b^3.a^2.b^2.d^-3.a^3.c^-1.b.a^5.
```

Powers are defined as per group conjugation: $x^y == y^{-1}xy$ (or, written in additive notation, $-y+x+y$):

```
> u
```

```
[1] a^-2.c^-7          c^3.b^3.d^4.c^4   a^2              a^-3.d^-1
[5] a^3.d^-3          d^-1.b^-2.c^4     a^2.b^3.a^2     b^2.d^-3.a^3.c^-1
[9] b.a^5.c^-4        c.b^2.c
```

```
> z <- alpha(26)
```

```
> u^z
```

```
[1] z^-1.a^-2.c^-7.z   z^-1.c^3.b^3.d^4.c^4.z   z^-1.a^2.z
[4] z^-1.a^-3.d^-1.z   z^-1.a^3.d^-3.z         z^-1.d^-1.b^-2.c^4.z
[7] z^-1.a^2.b^3.a^2.z   z^-1.b^2.d^-3.a^3.c^-1.z   z^-1.b.a^5.c^-4.z
[10] z^-1.c.b^2.c.z
```

Thus:

```
> sum(u^z) == sum(u^z)
```

```
[1] TRUE
```

There is also a commutator bracket, defined as $[x,y] = x^{-1}y^{-1}xy$ or in package idiom $. [x,y] = -x-y+x+y$:

```
> . [u,z]
```

```
[1] c^7.a^2.z^-1.a^-2.c^-7.z
[2] c^-4.d^-4.b^-3.c^-3.z^-1.c^3.b^3.d^4.c^4.z
[3] a^-2.z^-1.a^2.z
[4] d.a^3.z^-1.a^-3.d^-1.z
[5] d^3.a^-3.z^-1.a^3.d^-3.z
[6] c^-4.b^2.d.z^-1.d^-1.b^-2.c^4.z
[7] a^-2.b^-3.a^-2.z^-1.a^2.b^3.a^2.z
[8] c.a^-3.d^3.b^-2.z^-1.b^2.d^-3.a^3.c^-1.z
[9] c^4.a^-5.b^-1.z^-1.b.a^5.c^-4.z
[10] c^-1.b^-2.c^-1.z^-1.c.b^2.c.z
```

If we have more than 26 symbols the print method runs out of letters:

```
> alpha(1:30)
```

```
[1] a b c d e f g h i j k l m n o p q r s t u v w x y
[26] z NA NA NA NA
```

If this is a problem (it might not be: the print method might not be important) it is possible to override the default symbol set:

```
> options(freegroup_symbols = state.abb)
> alpha(1:30)
```

```
[1] AL AK AZ AR CA CO CT DE FL GA HI ID IL IN IA KS KY LA ME MD MA MI MN MS MO
[26] MT NE NV NH NJ
```

3. Conclusions and further work

The **freegroup** package furnishes a consistent and documented suite of reasonably efficient R-centric functionality. Further work might include the finitely presented groups but it is not clear whether this would be consistent with the precepts of R.

References

- GAP (2018). *GAP – Groups, Algorithms, and Programming, Version 4.10.0*. The GAP Group. URL <https://www.gap-system.org>.
- Hankin RKS (2022). “The free group in R.” doi:10.48550/ARXIV.2212.05883.
- Meurer A, *et al.* (2017). “SymPy: symbolic computing in Python.” *PeerJ Computer Science*, **3**, e103. ISSN 2376-5992. doi:10.7717/peerj-cs.103. URL <https://doi.org/10.7717/peerj-cs.103>.

The Sage Developers (2019). *SageMath, the Sage Mathematics Software System (Version 8.6)*. URL <https://www.sagemath.org>.

Affiliation:

Robin K. S. Hankin
University of Stirling
E-mail: hankin.robin@gmail.com